

UPCOMING PROJECTS



An ISO-9001 : 2015
Certified Company

Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
ashish@twinklepaper.com
Website : www.twinklepapers.com

Packaging & Material Handling Solutions

About Us

Twinkle Papers Pvt. Ltd. is the fastest growing manufacturer of high quality Corrugated Boxes and Multi-coloured Printed Fibre Board Cartons, HDPE drums and Jerrycans, Plastic Crates, Heavy duty Plastic Pallets, Moulded furniture, Dustbin to name a few. Our products are specially designed to meet export requirements as well. We are exclusively engaged in this industry from the last 26 years.

Twinkle Papers Pvt. Ltd. is located in Malerkotla (30 kms from Ludhiana) on Ludhiana – Patiala Highway. We have our Transport fleet of 20 trucks having different stuffing capacities. We also have 1m-dedicated power-line to ensure un-interrupted power supply and smooth production activities.

We, at Twinkle Papers Pvt Ltd, but have technically advanced and highly automated manufacturing facilities which are being handled by highly educated staff and technicians / Engineers to enhance outstanding performance.

We are providing our services to leading manufacturers of Food product / Dairy products / Lubricant & Grease / Bitumen/ Construction chemicals / Lab chemicals / Paper Chemicals / ENA / Rectified alcohol / Glucose / Sorbitol / Emulsifiers / Agrochemicals / Crystalline Paraffin Wax / Specialty chemicals / Bulk Drugs etc.

Our products have been checked and approved for export worthiness (UN Certified) by Indian Institute of Packaging. Our Manufacturing facilities also complies with ISO 9001 : 2015 systems.

Twinkle Papers Pvt Ltd is committed to serve our business partners by providing Quality Packaging Materials and long lasting Material Handling solutions.

Our Mission

To Provide Superior Quality Products And Instilling Trust Among All Our Business Partners.

Our Vision

To Be Leader In The Field Of Packaging and Providing Material Handling Solutions For Now and Future.



Infrastrucuter



Injection Moulding Machine

Blow Moulding Machine



Roto Moulding Machine

Quality Laboratory



DIMENSIONS



DROP TEST



ROLLING TEST



RACKING LOAD TEST



FORKLIFT TEST



Bulk Packaging



Packaging & Material Handling Solutions



INM-210 Litres

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	925 mm
Diameter (mm \pm 2%)	590 mm
Mouth Opening ID (mm \pm 2%)	52 mm
Capacity with water(Kg)	218 kgs.
Tare Weight (Kg \pm 2%)	7.8 / 8.2 / 8.5 /9.2 /10.4 Kgs

INM-235 Litres

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	1000 mm
Diameter (mm \pm 2%)	590 mm
Mouth Opening ID (mm \pm 2%)	52 mm
Capacity with water(Kg)	240 kgs.
Tare Weight (Kg \pm 2%)	8.5 / 9.0 Kgs

INM-250 Litres

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	1050 mm
Diameter (mm \pm 2%)	590 mm
Mouth Opening ID (mm \pm 2%)	52 mm
Capacity with water(Kg)	255 mm
Tare Weight (Kg \pm 2%)	9.0 kgs.



Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
ashish@twinklepaper.com
Website : www.twinklepapers.com



Open Top Drum



Packaging & Material Handling Solutions

IOT-30 Litre

Specification:

Material	HM-HDPE
Height (mm ± 2%)	535 mm
Diameter (mm ± 2%)	325 mm
Mouth Opening ID (mm ± 2%)	255 mm
Capacity with water(Kg)	32 kgs.
Tare Weight (Kg ± 2%)	2.1 Kgs

IOT-50 Litre

Specification:

Material	HM-HDPE
Height (mm ± 2%)	585 mm
Diameter (mm ± 2%)	385 mm
Mouth Opening ID (mm ± 2%)	315 mm
Capacity with water(Kg)	55 kgs.
Tare Weight (Kg ± 2%)	2.5 to 2.8Kgs

IOT-65 Litre (Outer Lid)

Specification:

Material	HM-HDPE
Height (mm ± 2%)	625 mm
Diameter (mm ± 2%)	415 mm
Mouth Opening ID (mm ± 2%)	320 mm
Capacity with water(Kg)	66 kgs.
Tare Weight (Kg ± 2%)	2.8 Kgs

IOT-75 Litre (Outer Lid)

Specification:

Material	HM-HDPE
Height (mm ± 2%)	690 mm
Diameter (mm ± 2%)	415 mm
Mouth Opening ID (mm ± 2%)	320 mm
Capacity with water(Kg)	79 kgs.
Tare Weight (Kg ± 2%)	3.2 to 3.5 Kgs

IOT-105 Litre

Specification:

Material	HM-HDPE
Height (mm ± 2%)	725mm
Diameter (mm ± 2%)	445 mm
Mouth Opening ID (mm ± 2%)	405 mm
Capacity with water(Kg)	105 mm
Tare Weight (Kg ± 2%)	5.7 kgs.

IOT-40 Litre

Specification:

Material	HM-HDPE
Height (mm ± 2%)	440 mm
Diameter (mm ± 2%)	364 mm
Mouth Opening ID (mm ± 2%)	320 mm
Capacity with water(Kg)	41 kgs.
Tare Weight (Kg ± 2%)	2.1 Kgs

IOT-100 Litre

Specification:

Material	HM-HDPE
Height (mm ± 2%)	770 mm
Diameter (mm ± 2%)	440 mm
Mouth Opening ID (mm ± 2%)	430 mm
Capacity with water(Kg)	107 kgs.
Tare Weight (Kg ± 2%)	5.4 Kgs

IOT-65 Litre (Inner Lid)

Specification:

Material	HM-HDPE
Height (mm ± 2%)	665mm
Diameter (mm ± 2%)	415 mm
Mouth Opening ID (mm ± 2%)	340 mm
Capacity with water(Kg)	66 mm
Tare Weight (Kg ± 2%)	2.8 kgs.

IOT-75 Litre Inner Lid

Specification:

Material	HM-HDPE
Height (mm ± 2%)	675 mm
Diameter (mm ± 2%)	415 mm
Mouth Opening ID (mm ± 2%)	340 mm
Capacity with water(Kg)	76 kgs.
Tare Weight (Kg ± 2%)	3.0 Kgs

Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
 Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
 E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
 ashish@twinklepaper.com
 Website : www.twinklepapers.com



Narrow Mouth Drum & Jerry Cans



Packaging & Material Handling Solutions

INM-5 Litre

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	305 mm
Diameter (mm \pm 2%)	195 mm
Mouth Opening ID (mm \pm 2%)	30 mm
Capacity with water(Kg)	5.650 mm
Tare Weight (Kg \pm 2%)	0.320 kgs.

INM-20 Litre

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	425 mm
Length	275 mm
Width	242 mm
Mouth Opening ID (mm \pm 2%)	45 mm
Capacity with water(Kg)	1.2 kgs.
Tare Weight (Kg \pm 2%)	2.2 kgs.

INM-25 Litre

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	365 mm
Diameter (mm \pm 2%)	280 mm
Mouth Opening ID (mm \pm 2%)	45 mm
Capacity with water(Kg)	25 kgs.
Tare Weight (Kg \pm 2%)	1.4 Kgs

INM-40 Litre

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	475 mm
Diameter (mm \pm 2%)	335 mm
Mouth Opening ID (mm \pm 2%)	45 mm
Capacity with water(Kg)	45 kgs.
Tare Weight (Kg \pm 2%)	2.0 Kgs

INM-50 Litre

Specification:

Material	HM-HDPE
Height (mm \pm 2%)	555 mm
Diameter (mm \pm 2%)	380 mm
Mouth Opening ID (mm \pm 2%)	45 mm
Capacity with water(Kg)	50 kgs.
Tare Weight (Kg \pm 2%)	2.2 kg TO 2.5Kgs



Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
ashish@twinklepaper.com
Website : www.twinklepapers.com



Plastic Crates



Packaging & Material Handling Solutions

Plastic Crate Sizes


<p>TBK01 660 x 550 x 215mm PERFORATED</p>	<p>TBK02 560 x 475 x 135mm PERFORATED</p>	<p>TBK03 580 x 390 x 215mm PERFORATED</p>
<p>TFT11 550 x 360 x 300mm PERFORATED</p>	<p>TBK04 600 x 400 x 225mm SIDE PERFORATED</p>	<p>TET21 600 x 400 x 225mm SOLID</p>
<p>TET22 600 x 400 x 325mm SOLID</p>	<p>TET23 600 x 400 x 425mm SOLID</p>	<p>TFD40 470 x 370 x 168mm SOLID / PARTITION</p>
<p>TET24 650 x 450 x 325mm SOLID</p>	<p>TET25 650 x 450 x 225mm SOLID</p>	<p>TET26 500 x 325 x 250mm SOLID</p>
<p>TET27 400 x 300 x 220mm SOLID</p>	<p>TET28 400 x 300 x 150mm SOLID</p>	<p>TJB51 810 x 570 x 425mm SOLID</p>
<p>LID 600 x 400mm SOLID</p>		

Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
ashish@twinklepaper.com
Website : www.twinklepapers.com




Hygienic & Reinforced Injection & Roto Moulding Plastic Pallets



Packaging & Material Handling Solutions

ROTO Moulding Pallets Specifications

1200 X 1200 X 160 MM



MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
4 WAY &	ONLY PUFF	ANTISKID	3000	1000	NA
EURO 2 WAY	ONLY STEEL	SIDE EDGE	4000	1200	1200

1200 X 1000 X 160 MM

MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
4 WAY &	ONLY PUFF	ANTISKID	2500	500	NA
EURO 2 WAY	ONLY STEEL	SIDE EDGE	4000	1200	1200



1000 X 1000 X 160 MM



MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
4 WAY	ONLY PUFF		2500	500	NA

Roto Moulding Pallets Specifications


900 X 900 X 160 MM



MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
4 WAY	ONLY PUFF		2500	500	NA

800 X 1200 X 160 MM

MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
EURO 2 WAY	ONLY PUFF	ANTISKID	3000	1000	1000



800 X 800 X 160 MM



MODEL	TYPE	TOP STYLE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
2 WAY	PUFF + STEEL	PLAIN	3000	1000	1000
	ONLY PUFF	ANTISKID	3000	500	NA

Injection Moulding Pallets Specifications

1200X 1000 X 160 MM With Steel Bones



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 01	HDPE/PP	Perforated 3 Runner	6000 kg Unified Load	1200 kg Unified Load	1200 kg Unified Load

Entry:   

1200X 1000 X 160 MM With Steel Bones



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 02	HDPE/PP	Perforated 3 Runner	4000 kg Unified Load	1000 kg Unified Load	1000 kg Unified Load

Entry:   

1200X 1000 X 160 MM



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 03	HDPE/PP	Perforated 3 Runner	3000 kg Unified Load	750 kg Unified Load	500 kg Unified Load

Entry:   

* LOAD BEARING CAPACITY CAN BE CUSTOMIZED AS PER CUSTOMER REQUIREMENT

Injection Moulding Pallets Specifications

1200X 1000 X 135 MM



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 04	HDPE/PP	Plain Top 9 Leg	3000 kg Unified Load	750 kg Unified Load	NA

Entry : 

1200X 1000 X 135 MM (Export Purpose)



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 05	HDPE/PP	Perforated 9 Leg	2000 kg Unified Load	1000 kg Unified Load With Wrapping	NA

Entry : 

1200X 1000 X 135 MM (Export Purpose)



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 06	HDPE/PP	Plain Top 9 Leg	2000 kg Unified Load	1000 kg Unified Load With Wrapping	NA

Entry : 

Injection Moulding Pallets Specifications

1200X 800 X 135 MM



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 07	HDPE/PP	Perforated 3 Runner	3000 kg Unified Load	750 kg Unified Load	NA

Entry : 

1200X 1000 X 135 MM (Export Purpose)



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 08	HDPE/PP	Perforated Top 6 Runner	2000 kg Unified Load	1000 kg Unified Load With Wrapping	NA

Entry : 

1100X 1100 X 120 MM (Export Purpose)



MODEL	MATERIAL	TOP SURFACE	LOAD CAPACITY		
			STATIC	DYNAMIC	RACKING
TPPL - 09	HDPE/PP	Perforated 6 Runner	2000 kg Unified Load	1000 kg Unified Load With Wrapping	NA

Entry : 

Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
 Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
 E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
 ashish@twinklepaper.com
 Website : www.twinklepapers.com



Corrugated Boxes & Printed Cartons



Packaging & Material Handling Solutions

Infrastructure



Automatic Printing & Die Cutting



Automatic 5 Ply Corrugation Plant



Automatic Pasting / Glueing Machine



Automatic Stappling Machine

Quality Control Lab.



Digital Box Compression Strength Tester



Bursting Strength Machine (Board Testing)



Bursting Strength Machine (Paper Testing)

Box Size	Customised
Paper GSM	As Per Customer Requirement
Bursting Strength	As Per Customer Requirement

And Other Testing Requirements - Strictly As Per Customer Specifications

Twinkle Papers Pvt. Ltd

Corporate Office : Ludhiana Road, Malerkotla - 148023 (Punjab)
 Phone No. : +91-98154-00793, +91-98156-01142, +91-98762-66413
 E-mail Id : nasreen@twinklepapers.com, vmv@twinklepapers.com
 ashish@twinklepaper.com
 Website : www.twinklepapers.com